## New Jersey Division of HIV/AIDS Services Persons Living with HIV/AIDS as of December 31, 2005 East Orange Residents

			Adult/Adolescent *		Pediatric *			Total			
1.	Current HIV/AII					Cases				ases	% 
	AIDS-Any OI AIDS-CD4 Only HIV Only		# # 610	# # 49		#	:	# # 6		234 405 622	19 32
	Total		1247			14		0		1261	100
2.	Current Age * Cases	ૄ	3. Race	/Eth.		Adult, Cases				Tota Cases	
	<pre>&lt;5  # 5-12  12 13-19  16 20-29  78 30-39  235 40-49  497 50+  421 Unk.  # Total  1261</pre>	# 1 6 19 39 33 #	White Black Hispa Othe:	e, Not Hisp k, Not Hisp anic r/Unknown	anic anic	1161 36 23	2 93 3 2	0 14 0 0	100	27 1175 36 23	93 3 2
4.	Patient Group			Ad Males	ક		Femal	es :	<del>-</del> ૄ	Tota	egories * al %
	Men sex with mu Injection drug MSM/IDU Heterosexual co Risk not report	en (MSM) user (IDU) ontact***		154 178 19 261 79	22 26 3		15	0 5 2: 0 6:	0 9	1! 3: 5	

	Males	Pedi:	atric Modified Females	Exposure %	Categories Total	%
Parent at risk/has AIDS/HIV	10	91	19	95	29	94
Risk not reported/other***	#	#	#	#	#	#
Total	11	100	20	100	31	100

691 100

539 100

1230 100

NOTE: Includes only those persons known to be infected with HIV.

Total

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- \* Classification based on current age at the end of December 2005.
- \*\* 17 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.
- $\ensuremath{^{***}}$  Included in this category are persons with no other risk identified
  - who had heterosexual contact with partner(s) whose HIV infection risk is undocumented/unknown.
- \*\*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

### New Jersey Division of HIV/AIDS Services AIDS Cases Reported as of December 31, 2005 East Orange Residents

	Adult/Ado	lescent*	Pedia	tric*	Total		
1. Disease Category	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)	
PCP	614 ( 29)	526 ( 86)	16 ( 37)	14 ( 88)	630 ( 30)	540 ( 86)	
Other OI w/o PCP	629 ( 30)	507 ( 81)	26 ( 60)	19 ( 73)	655 ( 31)	526 ( 80)	
KS Alone	17 ( 1)	16 ( 94)	0 ( 0)	0 ( .)	17 ( 1)	16 ( 94)	
No Disease Listed	823 ( 40)	405 ( 50)	# ( #)	0 ( 0)	824 ( 39)	405 ( 50)	
Total	2083 (100)	1454 ( 70)	43 (100)	33 ( 77)	2126 (100)	1487 ( 70)	

				Adult/	Adl*	Pediatr	ic*	Total	
2. Age *	Cases	용	3. Race/Eth.	Cases	용	Cases	%	Cases	%
Under 5	31	1	White, Not Hispanic	#	#	#	#	57	3
5-12	12	1	Black, Not Hispanic	1956	94	40	93	1996	94
13-19	11	1	Hispanic	#	#	#	#	68	3
20-29	243	11	Other/Unknown	5	0	0	0	5	0
30-39	885	42							
40-49	677	32	Total	2083	100	43	100	2126	100
Over 49	267	13							
Unknown	0	0							

4. Patient Group	Adult/Adolescent Modified Exposure Categories *
------------------	---

	Males	8	Females	ક	Total	%	
Men sex with men (MSM)	297	22	0	0	297	14	
Injection drug user (IDU)	623	47	345	46	968	47	
MSM/IDU	53	4	0	0	53	3	
Heterosexual contact***	267	20	368	49	635	31	
Risk not reported/other***	85	6	42	6	127	6	
Total	1325	100	755	100	2080	100	

	Males	Pediatric %	Modified Females	-	Categories Total	%
Parent at risk/has AIDS/HIV Risk not reported/other****	16 #	94 #	28 #	 97 #	44	96 #
Total	17	100	29	100	46	100

<sup>#</sup> indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

2126 100

Total

<sup>\*</sup> Classification at time of AIDS diagnosis.

<sup>\*\* 3</sup> patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

<sup>\*\*\*</sup> Included in this category are persons with no other risk identified

who had heterosexual contact with partner(s) whose HIV infection risk is undocumented/unknown.

<sup>\*\*\*\*</sup> Included in this category are persons with transmission categories of coagulation disorder and transfusion with blood/blood products.

# New Jersey Division of HIV/AIDS Services AIDS Cases Reported as of December 31, 2005 East Orange Residents

### 5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis	Number of Cases	Number of Deaths	Case-Fatality Rate
Before 1985	32	30	94%
1985	36	35	97%
1986	69	65	94%
1987	109	99	91%
1988	95	91	96%
1989	112	106	95%
1990	129	121	94%
1991	142	128	90%
1992	178	165	93%
1993	246	195	79%
1994	153	106	69%
1995	137	92	67%
1996	115	63	55%
1997	96	44	46%
1998	86	39	45%
1999	82	38	46%
2000	80	20	25%
2001	61	24	39%
2002	61	14	23%
2003	40	7	18%
2004	44	#	#
2005	23	#	#
Total	2126	1487	70%

## New Jersey Division of HIV/AIDS Services HIV INFECTION-not-AIDS Reports with Identifiers Reported as of December 31, 2005 East Orange Residents

					Adult/A	Adl*	Pediat	ric*	Total	
1.	Age *	Cases	%	2. Race/Ethnicity	Cases	%	Cases	%	Cases	%
	Under 5	16	2	White, Not Hispanic	16	2	0	0	16	2
	5-12	#	#	Black, Not Hispanic	654	91	19	100	673	92
	13-19	23	3	Hispanic	27	4	0	0	27	4
	20-29	149	20	Other/Unknown	18	3	0	0	18	2
	30-39	288	39							
	40-49	175	24	Total	715	100	19	100	734	100
	Over 49	80	11							
	Unknown	#	#							
	Total	734	100							

Patient Group	Ad	lult/Ad	olescent Modif:	ied Expo	sure Catego	ries *
	Males	%	Females	%	Total	왕
Men sex with men (MSM)	86	22	0	0	86	12
Injection drug user (IDU)	101	26	93	28	194	27
MSM/IDU	7	2	0	0	7	1
Heterosexual contact***	147	38	207	63	354	50
Risk not reported/other***	47	12	27	8	74	10
Total	388	100	327	100	715	100
		Ped	iatric Modifie	d Exposu	re Categorie	es
	Males	8	Females	_	Total	%
Parent at risk/has AIDS/HIV	5	100	13	93	18	95
Risk not reported/other***	0	0	#	#	#	#
Total	5	100	14	100	19	100

- \* Classification at time of first HIV+ test.
- # indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- \*\* 0 patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.
- \*\*\* Included in this category are persons with no other risk identified who had heterosexual contact with partner(s) whose HIV infection risk is undocumented/unknown.
- \*\*\*\* Included in this category are persons with transmission categories of coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

#### New Jersey Division of HIV/AIDS Services HIV/AIDS Cases Reported as of December 31, 2005 East Orange Residents

	Adult/Ado	olescent *	Pediat:	ric *	Total		
1. Current HIV/AIDS Category	Cases	%	Cases	%	Cases	%	
AIDS-Any OI	1360	49	43	67	1403	49	
AIDS-CD4 Only	#	#	#	#	723	25	
HIV Only	#	#	#	#	734	26	
Total	2796	100	64	100	2860	100	

				Adult/A	Adl*	Pediat	ric*	То	tal
2. Age *	Cases	%	<ol><li>Race/Eth.</li></ol>	Cases	%	Cases	8	Cases	%
Under 5	52	2	White, Not Hispanic	#	#	#	#	73	3
5-12	12	0	Black, Not Hispanic	2608	93	61	95	2669	93
13-19	42	1	Hispanic	#	#	#	#	95	3
20-29	456	16	Other/Unknown	23	1	0	0	23	1
30-39	1207	42							
40-49	783	27	Total	2796	100	64	100	2860	100
Over 49	308	11							
Unknown	0	0							
Total	2860	100							

4.	Patient Group	atient Group Adult/Adolescent Modified Expos				posure Categor	re Categories **	
		Males	%	Females	%	Total	%	
	Men sex with men (MSM)	383	22	0	0	383	14	
	Injection drug user (IDU)	724	42	438	40	1162	42	
	MSM/IDU	60	4	0	0	60	2	
	Heterosexual contact***	414	24	575	53	989	35	
	Risk not reported/other***	132	8	69	6	201	7	
	Total	1713	100	1082	100	2795	100	

		Pe	diatric Modified	Exposure	Categories	
	Males	%	Females	%	Total	%
Parent at risk/has AIDS/HIV	21	95	41	95	62	95
Risk not reported/other***	#	#	#	#	#	#
Total	22	100	43	100	65	100

NOTE: Includes only those persons known to be infected with HIV.

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- \* Classification at time of first HIV+/AIDS diagnosis.
- \*\* 1 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.
- \*\*\* Included in this category are persons with no other risk identified who had heterosexual contact with partner(s) whose HIV infection risk is undocumented/unknown.
- \*\*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

### New Jersey Division of HIV/AIDS Services HIV/AIDS Cases Reported as of December 31, 2005 East Orange Residents

### 5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis	Cases	Number Known Dead	Case-Fatality Rate
Before 1985	36	33	92%
1985	46	42	91%
1986	81	73	90%
1987	142	122	86%
1988	138	124	90%
1989	150	137	91%
1990	196	166	85%
1991	213	170	80%
1992	307	209	68%
1993	261	146	56%
1994	214	105	49%
1995	157	80	51%
1996	140	59	42%
1997	116	31	27%
1998	97	28	29%
1999	97	24	25%
2000	119	19	16%
2001	84	14	17%
2002	90	10	11%
2003	62	#	#
2004	72	#	#
2005	42	#	#
Total	2860	1599	56%